



VIKING Cargo



VIKING LIFE-SAVING EQUIPMENT

WHEN IT COMES TO **safety**
— THINK VIKING™



Welcome to the VIKING advantage

Life-saving equipment is serious business. To choose the right equipment at the outset you need to know how to put together the optimal package and be sure that your partner will be there for the long haul – wherever service is needed.

Local access to global knowledge

VIKING products are supported by a network of local experts and 270 authorised servicing stations. Our 48 branch offices across the globe work together as a team via an extensive information network. We know shipbuilding, we know commercial shipping and we know what it takes to make a sound long term investment in essential safety equipment.

Our global resources are second to none

No other life-saving equipment provider has the same global resources as VIKING. Our unique network of subsidiaries and authorised servicing stations, our fully integrated production facilities in 4 locations in Northern Europe and the Far East, and our effective logistics with worldwide stockpoints ensure optimal delivery of VIKING's high quality products wherever needed.

We make sure you get what you need

VIKING offers a choice of product packages, systems and servicing agreements that range from top of the line innovations to standard and basic options. A broad product range combined with the unique servicing network means our advisors can ensure that you get the right product and servicing package to suit your needs – in the long term as well as the short term.

Contact your nearest VIKING office and hear more about what makes VIKING so special and how we can help you make the right choice – the first time around.

Liferafts by VIKING

VIKING liferafts are found all over the globe – from the arctic to the tropics

VIKING's liferafts are available in a standard version and a top of the line automatically self-righting version. The proven self-righting liferafts ensure that no matter how the liferaft inflates in the water it will always right itself ready for boarding. Liferafts can be equipped with a hydrostatic release unit to ensure that it inflates automatically if it has not been released manually.

Liferafts are subjected to rough sea trials, wind velocity tests at forces of 30 metres per second and deployed at extremely low temperatures. Self-righting liferafts are also tested for automatic self-righting.

Standard features

- Equipped with emergency packs and liferaft equipment according to SOLAS requirements and flag requirements.
- Provided with two individual buoyancy compartments. If one of the compartments is damaged, there will still be sufficient buoyancy to carry the specified number of passengers.
- Stored in a rigid fibre-glass container for durability.
- Installed onboard either on cradles, racks, or stacked on top of each other.



Throw-overboard liferafts

Throw-overboard liferafts are stored in containers on deck and inflate in the water when the painter line is pulled.

Standard rafts are available for: 6, 8, 10, 12, 16, 20, 25 and 35 persons.

Self-righting rafts are available in the following sizes: 25, 51, 101 and 150 persons.



Davit-launched liferafts

Davit-launched liferafts are connected to the davit, inflated, boarded from the deck and then lowered to water level.

Standard rafts are available in the following sizes; 12, 16, 20, 25 and 35 persons.

Self-righting rafts are available in two sizes: 25 and 39 persons.

See our full range of liferafts on www.VIKINGsafetyshop.com

Special liferafts by VIKING



In addition to liferafts for cargo vessels, VIKING also custom designs and manufactures a special liferaft range that includes aviation liferafts for air force, open reversible liferafts/buoyant safety apparatus for passenger ships operating in inland and coastal waters, liferafts for yachting and fishing, and Means of Rescue liferafts for transferring passenger from sea level to the deck of ro-ro vessels, or other types of vessels.

Global servicing

Liferafts on cargo vessels must be serviced annually at one of VIKING's 270 authorized servicing stations according to national and international regulations.

Davits for all needs

VIKING provides a wide range of davits for liferafts and rescue boats as well as combi davits for both purposes. These davits are specially designed for durability in a highly corrosive environment.

All have an EU steering wheel approval as standard and as an option can be equipped with additional certificates from national authorities.

Contact VIKING for information about the right davit for your needs.

Optional features

- Pedestals
- Release hooks for on and off load.
- Different colors
- Stored power in case of dead ship conditions (only available for certain models)
- Quick return unit for effective repeat launches
- Custom made for increased slewing range
- Complete custom made davits according to specifications



*Liferaft davit
SCM 21-4,0 L*



*Rescue boat davit
SCH 12-3,5 R*



*Combi davit
SCH 14/12-3,5 LR*

MOB Rescue Boat by VIKING

A full package with SOLAS approved related equipment



VIKING manufactures fibreglass MOB Rescue Boats and can supply semi-rigid versions - from top of the line to standard models in a variety of weights and dimensions. We combine modern features with traditional boat-building principles for reliable MOB Rescue Boats. Top quality models are designed for stability and exceptional durability.

VIKING can supply a full MOB Rescue Boat or work boat package with approved related equipment including boat engines, rescue boat davits or combi davits for liferafts and rescue boats as well as SOLAS approved automatic release hooks. Our advisors can help you choose the precise model and equipment most suitable for your needs.



VIKING 470 GRP1 MOB Rescue Boat

Stability, strength and excellent seaworthiness for rough weather conditions.

- Top of the line SOLAS/USCG approved MOB Rescue Boat
- Built in polyurethane makes the boat practically unsinkable
- Practical one point lifting mast and integrated watertight compartments
- Remote control steering system
- Petrol engine: 25, 40 or 60 HP

Neuvisa RR-40 Semi-rigid MOB Rescue Boat


Basic semi-rigid boat for basic needs.

- Includes standard SOLAS boat equipment
- Petrol engine 25 HP and 40 HP option
- 4 point lifting sling



Life-saving appliances

VIKING can put together a full package of approved products for your needs



Explore VIKING Safetyshop

www.VIKINGsafetyshop.com

VIKING offers several convenient ways to order your safety products including 24 hour access to our online catalogue.

You can find detailed information about VIKING's total product range, and as well a technical specifications, drawings, data sheets and certificates. You can also generate an enquiry through the Safetyshop that is sent directly to the relevant sales department in the relevant country.

VIKING can supply a complete package



VIKING's new product catalogue is designed to provide you with basic information on relevant products for the Cargo segment. We can put together the optimal package for liferafts and lifeboats, life-saving appliances, fire-fighting equipment, signs and personal protective equipment. VIKING offers one point of contact for all your safety equipment needs. For when it comes to cargo vessels, a global service network is just as important as the products on board.

Contact VIKING for your free copy.

Immersion Suits by VIKING

VIKING offers a wide range of immersion suits with a choice of materials and features for all needs



SOLAS regulations now require immersion suits for all crew on board cargo ships sailing in cold climates as of July 2006. It is important to act now to ensure timely delivery and optimal pricing on the right immersion suits for your needs.

VIKING's PU coated Nylon immersion suits are state of the art with superior functionality, durability and comfort. Neoprene immersion suits in stretchable, flame retardant 5 mm neoprene are offered in several models fulfilling the latest safety requirements.

Hypothermia

| Water temp. Fahrenheit | Water temp. Celsius | Reduced or loss of consciousness* | Expected survival time* |
|------------------------|---------------------|-----------------------------------|-------------------------|
| 32.5 | 0 | < 15. min. | < 15-45 min. |
| 32.5-40 | 0-5 | 15-30 min. | < 15-45 min. |
| 40-50 | 5-10 | 30-60 min. | < 30-90 min. |
| 50-60 | 10-15 | 1-2 hours | < 1-3 hours |
| 60-70 | 15-21 | 2-7 hours | < 2-40 hours |
| 70-80 | 21-27 | 3-12 hours | < 3 hours indefinite |
| Over 80 | Over 27 | Indefinite | |

In the case of immersion suits, thermal warmth is affected by the following 3 factors:

- the temperature of the surroundings
- the amount of heat produced by the body
- the insulation value of the immersion suit (also called immersed CLO value)

Important information regarding immersion suits and hypothermia

Hypothermia occurs when the body's temperature drops below normal, specifically when the core temperature drops below 35 degrees Celsius (95° F). As the temperature drops, there is a gradual reduction in muscle coordination and movement.

Consciousness is reduced and a loss of consciousness can occur when the body's core temperature drops to approx. 30-32 degrees Celsius (86-90° F).

How immersion suits work

The insulation in an immersion suit works by locking air and radiant body heat in the suit. The better the insulation, the higher the immersed CLO value. This is important as higher immersed CLO values indicate more efficient heat maintenance, which helps prevent hypothermia and can extend survival time in the water.

All VIKING suits are specially designed to maximize protection against hypothermia. VIKING SOLAS immersion suits have a minimum immersed CLO value of 0.75 with a documented protection level of 6 hours in 0° cold water. Some of our suits have higher immersed CLO values, providing even greater protection.

*Time range is due to individual weight and size differences

PU coated Nylon Immersion suits

PU coated Nylon - state of the art with superior functionality, durability and comfort

The superior quality of woven nylon coated with polyurethane makes a more durable suit with a high degree of functionality and comfort. The fabrics are waterproof, have a longer lifetime and are

lightweight and flexible. Turnaround time for servicing of PU coated Nylon suits is typically faster than neoprene suits as these fabrics dry at a faster rate.



PS5002 SOLAS approved

Top of the line model with extra durability and extended protection. Can be used without a lifejacket - has soft buoyancy foam

Special features

- Can be used without a lifejacket - has soft buoyancy foam built in the back of the suit
- Interior braces for adjustable height for optimal freedom of movement
- Velcro fastening for adjustment of the suit at ankle and molded, full foot, non-slip soles
- Extra thick, detachable gloves attached to wrists by a strap
- Mounted with emergency light, buddy line for tethering and lifting becket for effective retrieval
- Detachable thermal barrier extends protection in cold water
- Exceeds SOLAS requirements for protection
- Available in 2 sizes: One-size 140 – 200 cm and Over-size 190 – 210 cm
- Delivered in a practical polyester bag with flexible packing options



PS5006 Standard SOLAS approved

Standard model, must be worn with a lifejacket. Optional buddy line and lifting becket

Special features

- Must be worn with a lifejacket including an emergency light
- Detachable gloves attached to wrists by a strap
- Velcro fastening for adjustment of suit at the ankle and moulded full foot non-slip soles
- Interior braces for adjustable height give optimal freedom of movement
- Prepared for mounting of buddy line for tethering
- Prepared for mounting of lifting becket for effective retrieval
- Prepared for mounting of emergency light on the suit
- The thermal lining is detachable via a zipper for cleaning or replacement
- Available in 2 sizes, One-size 140 – 200 cm and Over-size 190 – 210 cm
- Delivered in a practical polyester bag with flexible packing options

Neoprene Immersion suits

Several models and options available

The 5mm neoprene in VIKING's immersion suits make them watertight and provides the necessary insulation for hypothermia protection. Neoprene is especially suitable for basic immersion suits as it is a lightweight and flexible material.



See our full range of neoprene immersion suits on www.VIKINGSafetyshop.com.



PS2004 SOLAS approved

Must be worn with a lifejacket including an emergency light.

Special features

- Must be worn with a lifejacket including an emergency light
- Detachable gloves attached to wrists by a strap
- Velcro fastening for adjustment of suit at the ankle and non-slip soles
- Prepared for mounting of emergency light on the suit
- Prepared for mounting of buddy line for tethering
- Prepared for mounting of lifting becket for effective retrieval
- Available in 2 sizes: One-size 140 – 200 cm and Over-size 170 – 210 cm
- Delivered in a practical polyester bag with flexible packing options



PS2006 USCG SOLAS

Can be used without lifejackets - has soft buoyancy foam head support.

Special features

- Can be used without a life jacket - has soft buoyancy foam head support
- Permanently attached gloves
- Velcro fastening for adjustment of suit at the ankle and non-slip soles
- Prepared for mounting of emergency light
- Prepared for mounting of buddy line for tethering
- PS2006 is prepared for mounting of lifting becket for effective retrieval
- Available in 3 sizes: Small, Universal and Jumbo
- Delivered in a practical polyester bag with flexible packing options



PS2007 SOLAS approved

For use without a lifejacket. Has soft buoyancy foam head support.

Special features

- Can be used without a life jacket - has soft buoyancy foam head support
- Detachable gloves attached to wrists by a strap
- Velcro fastening for adjustment of suit at the ankle and non-slip soles
- Mounted with emergency light, whistle, buddy line for tethering and lifting becket for effective retrieval
- Available in 2 sizes: One-size 140 – 200 cm and Over-size 190 – 210 cm
- Delivered in a practical polyester bag with flexible packing options



PS2008 SOLAS approved

Must be worn with a lifejacket including an emergency light.

Special features

- Must be worn with a lifejacket including an emergency light
- Permanently attached 3 finger gloves with shark skin palms
- Velcro fastening for adjustment of suit at the ankle and non-slip soles
- Prepared for mounting of emergency light, buddy line for tethering and lifting becket for effective retrieval
- Available in 2 sizes: One-size 140 – 200 cm and Over-size 190 – 210 cm
- Delivered in a practical polyester bag with flexible packing options

Order your free copy of Buyers Guide to immersion suits

Whether you have a single vessel with a specific requirement or a fleet of ships with a range of immersion suit needs, our Buyer's Guide will give you vital answers to important questions about quality, durability, costs, delivery and servicing.

Because the choice you make now will have long term economic and safety consequences.

Order your free copy at: www.VIKING-life.com or contact your local VIKING office



Lifejackets by VIKING

VIKING lifejackets are specially designed to ensure maximum personal protection at sea with innovative use of quality materials and an emphasis on comfort and style



SOLAS approved

Our SOLAS approved lifejackets have been designed to enable persons working near water, where there is a danger of accidental immersion or the like, to operate in complete safety. Their light weight and modern design make them comfortable to wear - even for extended periods of time.

Securing freeboard

Certain SOLAS lifejackets by VIKING can turn an unconscious person to an optimal floating angle with a face up position securing freeboard.

Servicing

Annual servicing of your VIKING lifejacket by an approved lifejacket servicing station is recommended.

Loaded with features

- Lifting becket for effective retrieval
- Retro-reflective trim
- Light & whistle
- Crotch strap for optimal floating position
- Increased buoyancy 180 – 275 N
- Lightweight and flexible
- Maximum comfort & range-of-motion
- Washable cover
- Designed to fit virtually any body type
- Custom lettering available upon request

See our full range of lifejackets on www.VIKINGSafetyshop.com.

PV9308: SOLAS approved inflatable lifejacket with special covers.



Special features

- PU coated twin-chamber buoyancy compartment in high visibility orange
- 180 Newton buoyancy
- Mounted with SOLAS approved light and whistle
- Fitted with retro-reflective trim
- Mounted with lifting becket for effective retrieval
- Crotch strap for optimal floating position
- Optional wipe clean cover for easy cleaning or heat resistant covers for welders - practical for use in work situations.

Inflation

- Primary compartment: automatically, manually or orally
- Secondary compartment: manually or orally

Colours

- Red Cordura® cover
- Or made to customer specification

Weight

- 1.75 kg

PV9344: SOLAS approved 275 Newton lifejacket for situations when the bearer carries extra weight, such as equipment belts.



Special features

- PU coated twin-chamber buoyancy compartment in high visibility orange
- 275 Newton buoyancy
- SOLAS approved light & whistle
- Fitted with retro-reflective trim
- Spray hood for added comfort
- Mounted with lifting becket
- Crotch strap for optimal floating position
- Optional PLB (Personal Locator Beacon) pocket mounted on cover

Inflation

- Primary compartment: automatically, manually or orally
- Secondary compartment: manually or orally

Colours

- Red Cordura® cover
- Or made to customer specification

Weight

- 2.00 kg

SOLAS Fire-Fighter Suits by VIKING

A full range of approved fire equipment for cargo vessels from top of the line to standard packages. All supported by our global servicing network

PS3789: Two piece NOMEX® fire-fighter suit with accessories

Quality fire-suit with insulation for extra protection against radiant heat. Good comfort for extended wear. Approved for structural fighting as with land-based fire departments. Visor and neck protection optional.

Approvals: EN469 and 96/98/EC, SOLAS.

PS3788: Two piece aluminized fire-fighter suit with accessories

Basic aluminum-coated cotton fire suit designed for use on cargo vessels. One-size suit that protects against radiant heat, burns and scalding. Visor and neck protection optional.

Approvals: EN531, 96/98/EC, SOLAS.



Accessories incl. in the SOLAS package

- Fire-protective gloves
- Fire helmets
- Fire boots
- Storage bag

See our full range of fire-fighting suits on www.VIKINGsafetyshop.com.

Emergency Escape Breathing Devices

Breathing apparatus is required on all new buildings. The Ocenco M-20.2 EEBD can be

donned in under 10 secs. and protects against toxic or oxygen deficient atmospheres. Supplied with a rugged case that is water, corrosion and shock resistant and includes a 15 year maintenance free service (requires only simple visual inspection biannually by ship personnel).

The Ocenco M-20.2 EEBD is specially designed for the marine environment.



And much more...

- Eye wash - Non-mist goggles - Face shields -
- Safety helmets - Chemical protection gloves - Torches
- Chemical protection suits - Full face mask respirators and filters - First aid & resuscitation equipment

Global Service

An important consideration when investing in safety equipment is servicing in the long term.



VIKING is a global all-in-one service provider offering consolidated servicing of safety equipment on board. We offer total concept service packages, individual fleet servicing agreements including global competitive pricing, handling specifications and service certificates.

Our unique network of 270 authorised servicing stations follows strict guidelines for servicing VIKING's products.

The network is supported by certified educational programmes, spare parts supply and continually updated online information and manuals.

All products delivered for servicing are subjected to thorough and comprehensive tests for total quality assurance.

Authorised servicing stations have the appropriate tools and spare parts available as turnaround time is important to our customers.

Service can be booked by contacting any of our offices in our global network. Contact your local office for the nearest VIKING approved immersion suit servicing station.

Liferafts

VIKING has decades of experience in servicing our own and other brand liferafts. Our unique global servicing network of trained, experienced staff carries out customer convenient liferaft servicing.

Lifeboats, davits and release hooks

VIKING's experienced personnel in our specialised Lifeboat Division carry out on site servicing and maintenance of lifeboats, davits, release hooks and other lifeboat related products in many locations. Contact us for the closest certified station for servicing lifeboats and related products.

PPE: immersion suits and lifejackets

Selected stations service PPE, immersion suits and lifejackets. Servicing and repairs are carried out with meticulous care and attention to detail. VIKING can also offer servicing packages and customised fleet solutions with optimal conditions.

Marine fire safety equipment

VIKING can service stationary and portable fire equipment from several bases. Contact your VIKING office or dealer for your nearest certified servicing station for fire equipment.

Shipowner Agreements

Agreements with flexible options can optimise servicing of marine safety equipment through cost control, planning of consolidated servicing and partial outsourcing of administration.





Our international headquarters in Denmark


About VIKING

VIKING is a market leader in maritime safety, providing essential safety equipment for passenger & cargo vessels, offshore installations, defence and fire fighting, fishing and yachting vessels.

VIKING offers a choice of product packages and systems that are standard or tailor made, and certified to the latest requirements.

The VIKING headquarters are located in Denmark. Our products are manufactured at production facilities in Denmark, Norway and Bangkok, Thailand.

The unique VIKING network of branch offices, agents and 270 authorised servicing stations makes us a truly global provider offering cost-effective and convenient service when and where you need it.



Dedicated global production

Life-saving equipment is manufactured using a combination of modern technology and skilled manual labour.



VIKING has an award winning workplace. Our commitment to quality and safety and our loyal and experienced employees mean that our working atmosphere is quite exceptional.

VIKING practices integrated production with joint global planning. Particular speciality competences or special know how are concentrated at individual production units.

All our production facilities follow uniform guidelines and have identical systems and procedures.

ISO 9000 standards assure a consistent and standardised quality in accordance with specifications.

Global Logistics

Our logistics network acts as one global unit with specialised systems for handling and tracking stock and delivery.

VIKING's logistics specialists have the necessary certifications for optimising handling of products covered by the Dangerous Goods Act such as lifejackets and liferafts. We are experienced in customising logistics for customers with centralised stock or several delivery points.

VIKING's worldwide stock points are geared to carry the appropriate stock for each market to ensure that our customers benefit from optimal delivery and pricing at appropriate locations.



Global Network

VIKING LIFE-SAVING EQUIPMENT A/S

(Headquarters)
Saedding Ringvej 13
6710 Esbjerg V
Denmark

Tel: +45 76 11 81 00
Fax: +45 76 11 81 01
e-mail: VIKING@VIKING-life.com

VIKING LIFE-SAVING EQUIPMENT Ltd.

Ferry House
South Denes Road
Gt Yarmouth, Norfolk – NR30 3 PJ
Great Britain

Tel: +44 (0) 1493 850250
Fax: +44 (0) 1493 851222
e-mail: VIKING-uk@VIKING-life.com

VIKING LIFE-SAVING EQUIPMENT Russia

Gorelovo Industrial Zone, quarter 2,
Volkhonskoe Shosse, 2B, bldg. 15,
Lomonosov raion
198323 Leningrad oblast
Russia

Tel.: +7 812 493 59 24
Fax: +7 812 493 59 22
e-mail: VIKING-ru@VIKING-life.com

VIKING LIFE-SAVING EQUIPMENT China

Unit 1206-07 CITS Building
1277 Beijing West Road
200040 Shanghai
PR China

Tel: +86 21 6289 9922
Fax: +86 21 6289 3597
e-mail: ch@VIKING-life.com

VIKING LIFE-SAVING EQUIPMENT Ltd.

- Southampton
Hamble Court, Hamble Lane
SO31 4QL Southampton, Hampshire
Great Britain

Tel: +44 (0) 2380 454184
Fax: +44 (0) 2380 454284
e-mail: VIKINGsth@VIKING-life.com

VIKING LIFE-SAVING EQUIPMENT Pte LTD

14 Loyang Way 4
Loyang Industrial Estate
507601 Singapore

Tel: +65 6424 9200
Fax: +65 6424 9210
e-mail: VIKING-sg@VIKING-life.com

VIKING LIFE-SAVING EQUIPMENT Estonia AS

Mäealuse 30 C
12618, Tallinn
Estonia

Tel: +372 670 36 22/670 36 23
Fax: +372 670 36 26
e-mail: eme@VIKING-life.com

VIKING Life-Saving Equipment Ltd.,

Aberdeen
Unit 19, Ocean Trade Centre
Minto Avenue, Altens
AB12 3JZ, Aberdeen
Great Britain

Tel: +44 (0) 1224 898969
Fax: +44 (0) 1224 894565
e-mail: VIKINGGabz@VIKING-life.com

VIKING Life-Saving Equipment (SA) (Pty) Ltd

31 Carlisle Street, 7405 Paarden Eiland
P.O. Box 1339
8000 Cape Town
South Africa

Tel: +27 21 5075879 / 5075765
Fax: +27 21 5075878
e-mail: VIKING-sa@VIKING-life.com

VIKING LIFE-SAVING EQUIPMENT Oy, Finland

Pääskykalliontie 13
F-21420 LIETO
Finland

Tel: +358-(0)2-489 500
Fax: +358-(0)2 489 5011
e-mail: VIKING-fi@VIKING-life.com

VIKING LIFE-SAVING EQUIPMENT Iceland ehf.

VIKING Björgunarbúnaður
Hvaleyrarbraut 27
220 Hafnarfjörður
Iceland

Tel.: +354-544-2270
Fax: +354-544-2271
e-mail: VIKING-is@VIKING-life.com

VIKING Life-Saving Equipment (SA) (Pty) Ltd

Units No.2 Seebrook Park
210 Chamberlain Road
4026 Jacobs, Durban
South Africa

Tel: +27 31 4681261
Fax: +27 31 4681251
e-mail: VIKINGdbn@VIKING-life.com

VIKING LIFE-SAVING EQUIPMENT France S.a.r.l.

41, Rue Michel Ange
91026 EVRY CEDEX
France

Tel: +33 (0) 160 87 09 00
Fax: +33 (0) 160 87 09 01
e-mail: VIKING-f@VIKING-life.com

VIKING Life-Saving Equipment B.V.

P.O. Box 266
3330 AG Zwijndrecht
The Netherlands

Tel: +31-78-610 28 33
Fax: +31-78-610 33 61
e-mail: VIKING-nl@VIKING-life.com

VIKING LIFE-SAVING EQUIPMENT Iberica S.A.

c/General Pardinias 112 bis,
bajo B
28006 Madrid
Spain

Tel: +34-91-5624833
Fax: +34-91-5613805
e-mail: VIKING-e@VIKING-life.com

VIKING LIFE-SAVING EQUIPMENT A/S

Veddeler Damm 32 - 34
20457 Hamburg
Germany

Tel: +49-(0)40 670 10 25
Fax: +49-(0)40 670 10 67
e-mail: VIKING-d@VIKING-life.com

VIKING LIFE-SAVING EQUIPMENT Norway AS

Idrettsveien
Straume Næringspark
NO-5353 Straume (Bergen)
Norway

Tel: +47-815-00- 325
Fax: +47-56-32 61 10
e-mail: bergen@VIKING-life.com

VIKING LIFE-SAVING EQUIPMENT Sweden AB

Strömfallsvägen 53
135 49 Tyresö, Stockholm
Sweden

Tel: +46 (0)8 7700170
Fax: +46 (0)8 7700183
e-mail: VIKING-se@VIKING-life.com

VIKING LIFE-SAVING EQUIPMENT

Hong Kong Ltd.

Unit 1, 2/F, Chuan Kei Factory Building
15-23 Kin Hong Street, Kwai Chung
New Territories
Hong Kong

Tel: +852 24297878/24252410
Fax: +852 24236228
e-mail: VIKING-hk@VIKING-life.com

VIKING LIFE-SAVING EQUIPMENT Norway AS

Oluf Onsumsvei 11
N-0680 Oslo
Norway

Tel: +47-815-00- 325
Fax: +47-22-68 84 80
e-mail: VIKING-n@VIKING-life.com

VIKING LIFE-SAVING EQUIPMENT (Middle East)

AL JADAF SHIPDOCKING YARD
P.O.Box 13448
Dubai UAE (United Arab Emirates)

Tel: +971-4-324 3555
Fax: +971-4-324 3444
e-mail: VIKING-uae@VIKING-life.com

VIKING LIFE-SAVING EQUIPMENT

ISTANBUL DENIZCILIK TICARET AS

Aydinli mah.Tuzla Mermerciler OSB.
Gazi Bulvari.4.Sokak.No 12
TR 34953 Tuzla-Istanbul
Turkey

Tel: +90 216 593 31 79
Fax: +90 216 593 31 78
e-mail: VIKINGistanbul@VIKING-life.com

VIKING LIFE-SAVING EQUIPMENT

(America), Inc.

1400 NW 159St., Suite 101
33169 Florida, Miami
U.S.A.

Tel: +1 (305) 614-5800
Fax: +1 (305) 614-5810
e-mail: usasales@VIKING-life.com

The VIKING advantage

VIKING is a market leader in maritime safety with over 45 years of experience, providing essential safety equipment for passenger & cargo vessels, offshore installations, defence and fire fighting industries, fishing and yachting vessels.

VIKING products are supported by a unique global network of branch offices and authorised servicing stations. We work together as a team via our extensive information network.

We know the cargo business and we know what it takes to make a sound long term investment in essential safety equipment – from original design to maintenance.

Contact your nearest VIKING office and hear more about what makes VIKING so special and how we can help you make the right choice - the first time around.



1018546 cargo 03.09



VIKING LIFE-SAVING EQUIPMENT A/S (Headquarters) . Saedding Ringvej 13 . DK-6710 Esbjerg V . Denmark
Tel +45 76 11 81 00 . Fax +45 76 11 81 01 . www.VIKING-life.com